

	Type	Hits	Search Text
1	BRS	1	(pipe same (drinking with water)) and (pipe same cement) and (cement same metakaolin)
2	BRS	1	(pipe same (drinking with water)) and (pipe same cement) and metakaolin
3	BRS	1	(pipe same (drinking with water)) and cement and metakaolin
4	BRS	52	metal with drinking with water with pipe
5	BRS	7	(metal with drinking with water with pipe) and cement
6	BRS	2	((metal with pipe) same cement) and metakaolin
7	BRS	0	(pipe and cement) and (metakaolin with dry adj weight)
8	BRS	6	(pipe and cement) and (metakaolin with dry with weight)
9	BRS	45	pipe and ((cement or cementitious) same metakaolin)
10	IS&R	2	("5282898").PN.

Eastsearch

12/1/03

	DBs	Time Stamp	Comments	Error Definition
1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 07:57		
2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 15:32		
3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 17:46		
4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 06:07		
5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 06:47		
6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 06:49		
7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 06:50		
8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 06:50		
9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 08:17		
10	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 08:17		

	Errors
1	0
2	0
3	0
4	0
5	0
6	0
7	0
8	0
9	0
10	0